

November 23, 2020

Paul Swieton
Rensselaer-Columbia-Greene Counties and
BOCES
10 Empire State Blvd.
Fl 2
Castleton On Hudson, NY 12033

RE: Project: WYNANTSKILL UNION FREE 10/7
Pace Project No.: 70152961

Dear Paul Swieton:

Enclosed are the analytical results for sample(s) received by the laboratory on November 10, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Ormond Beach

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicolette M. Lovari
nicolette.lovari@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Patrick Paratore, Wynantskill Union Free School District
Mary Yodis, Wynantskill Union Free School District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Pace Analytical Services Ormond Beach

8 East Tower Circle, Ormond Beach, FL 32174

Alaska DEC- CS/UST/LUST

Alabama Certification #: 41320

Arizona Certification# AZ0819

Colorado Certification: FL NELAC Reciprocity

Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

Florida Certification #: E83079

Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity

Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity

Louisiana Environmental Certificate #: 05007

Maryland Certification: #346

Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236

Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14

New Hampshire Certification #: 2958

New Jersey Certification #: FL022

New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710

North Dakota Certification #: R-216

Ohio DEP 87780

Oklahoma Certification #: D9947

Pennsylvania Certification #: 68-00547

Puerto Rico Certification #: FL01264

South Carolina Certification: #96042001

Tennessee Certification #: TN02974

Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Virginia Environmental Certification #: 460165

West Virginia Certification #: 9962C

Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
70152961001	GDS-01-BF-01	EPA 200.8	SLG	1	PASI-O
70152961002	GDS-01-S-DW-06	EPA 200.8	SLG	1	PASI-O
70152961003	GDS-01-DW-13	EPA 200.8	SLG	1	PASI-O
70152961004	GDS-02-BF-18	EPA 200.8	SLG	1	PASI-O
70152961005	GDS-02-BF-19	EPA 200.8	SLG	1	PASI-O
70152961006	GDS-02-BF-20	EPA 200.8	SLG	1	PASI-O
70152961007	GDS-02-BF-21	EPA 200.8	SLG	1	PASI-O
70152961008	GDS-02-DW-22	EPA 200.8	SLG	1	PASI-O
70152961009	GDS-02-BF-23	EPA 200.8	SLG	1	PASI-O
70152961010	GDS-02-BF-24	EPA 200.8	SLG	1	PASI-O
70152961011	GDS-02-NIM-P-25	EPA 200.8	SLG	1	PASI-O
70152961012	GDS-02-SF-26	EPA 200.8	SLG	1	PASI-O
70152961013	GDS-02-CF-30	EPA 200.8	SLG	1	PASI-O
70152961014	GDS-02-CF-31	EPA 200.8	SLG	1	PASI-O
70152961015	GDS-02-DW-32	EPA 200.8	SLG	1	PASI-O
70152961016	GDS-02-BF-33	EPA 200.8	SLG	1	PASI-O
70152961017	GDS-02-DW-34	EPA 200.8	SLG	1	PASI-O
70152961018	GDS-02-SF-39	EPA 200.8	SLG	1	PASI-O
70152961019	GDS-02-LS-40	EPA 200.8	SLG	1	PASI-O
70152961020	GDS-02-DW-41	EPA 200.8	SLG	1	PASI-O
70152961021	GDS-02-BF-42	EPA 200.8	SLG	1	PASI-O
70152961022	GDS-02-SF-43	EPA 200.8	SLG	1	PASI-O
70152961023	GDS-02-SF-44	EPA 200.8	SLG	1	PASI-O
70152961024	GDS-02-SF-46	EPA 200.8	SLG	1	PASI-O
70152961025	GDS-02-SF-47	EPA 200.8	SLG	1	PASI-O
70152961026	GDS-02-IM-49	EPA 200.8	SLG	1	PASI-O
70152961027	GDS-02-BF-51	EPA 200.8	SLG	1	PASI-O
70152961028	GDS-02-SF-52	EPA 200.8	SLG	1	PASI-O
70152961029	GDS-02-SF-53	EPA 200.8	SLG	1	PASI-O
70152961030	GDS-02-SF-54	EPA 200.8	SLG	1	PASI-O
70152961031	GDS-02-DW-55	EPA 200.8	SLG	1	PASI-O
70152961032	GDS-02-SF-56	EPA 200.8	SLG	1	PASI-O
70152961033	GDS-02-CBF-57	EPA 200.8	SLG	1	PASI-O
70152961034	GDS-02-BF-58	EPA 200.8	SLG	1	PASI-O
70152961035	GDS-02-DW-59	EPA 200.8	SLG	1	PASI-O
70152961036	GDS-02-SF-60	EPA 200.8	SLG	1	PASI-O
70152961037	GDS-01-SF-61	EPA 200.8	SLG	1	PASI-O

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
70152961038	GDS-01-SF-62	EPA 200.8	SLG	1	PASI-O

PASI-O = Pace Analytical Services - Ormond Beach

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-01-BF-01		Lab ID: 70152961001		Collected: 10/07/20 06:57	Received: 11/10/20 09:50	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.4	ug/L	1.0	1		11/17/20 09:51	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-01-S-DW-06		Lab ID: 70152961002	Collected: 10/07/20 06:59	Received: 11/10/20 09:50	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 09:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-01-DW-13		Lab ID: 70152961003		Collected: 10/07/20 07:03	Received: 11/10/20 09:50	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.3	ug/L	1.0	1		11/17/20 09:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-18	Lab ID: 70152961004	Collected: 10/07/20 07:12	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.8	ug/L	1.0	1		11/17/20 09:55	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-19	Lab ID: 70152961005	Collected: 10/07/20 07:12	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/17/20 09:58	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-20	Lab ID: 70152961006	Collected: 10/07/20 07:09	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/17/20 09:59	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-21	Lab ID: 70152961007	Collected: 10/07/20 07:09	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 10:00	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-DW-22	Lab ID: 70152961008	Collected: 10/07/20 07:10	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 10:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-23	Lab ID: 70152961009	Collected: 10/07/20 07:16	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	2.4	ug/L	1.0	1		11/17/20 10:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-24	Lab ID: 70152961010	Collected: 10/07/20 07:16	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	3.6	ug/L	1.0	1		11/17/20 10:02	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-NIM-P-25	Lab ID: 70152961011	Collected: 10/07/20 07:20	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/17/20 10:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-26	Lab ID: 70152961012	Collected: 10/07/20 07:21	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 10:04	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-CF-30	Lab ID: 70152961013	Collected: 10/07/20 07:24	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	<1.0	ug/L	1.0	1		11/17/20 10:05	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-CF-31	Lab ID: 70152961014	Collected: 10/07/20 07:24	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 10:06	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-DW-32	Lab ID: 70152961015	Collected: 10/07/20 07:26	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	<1.0	ug/L	1.0	1		11/17/20 10:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-33	Lab ID: 70152961016	Collected: 10/07/20 07:42	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	1.8	ug/L	1.0	1		11/17/20 10:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-DW-34	Lab ID: 70152961017	Collected: 10/07/20 07:44	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	2.7	ug/L	1.0	1		11/17/20 10:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-39	Lab ID: 70152961018	Collected: 10/07/20 07:45	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	1.0	ug/L	1.0	1		11/17/20 10:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-LS-40	Lab ID: 70152961019	Collected: 10/07/20 08:02	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	3.2	ug/L	1.0	1		11/17/20 10:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-DW-41	Lab ID: 70152961020	Collected: 10/07/20 07:47	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	2.0	ug/L	1.0	1		11/18/20 21:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-42	Lab ID: 70152961021	Collected: 10/07/20 07:59	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	6.6	ug/L	1.0	1		11/17/20 17:45	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-43	Lab ID: 70152961022	Collected: 10/07/20 07:59	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	1.9	ug/L	1.0	1		11/17/20 17:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-44	Lab ID: 70152961023	Collected: 10/07/20 07:55	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	21.2	ug/L	1.0	1		11/17/20 17:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-46		Lab ID: 70152961024		Collected: 10/07/20 07:51	Received: 11/10/20 09:50	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	1.1	ug/L	1.0	1		11/17/20 17:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-47	Lab ID: 70152961025	Collected: 10/07/20 07:51	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	5.7	ug/L	1.0	1		11/17/20 17:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-IM-49	Lab ID: 70152961026	Collected: 10/07/20 07:55	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/17/20 17:42	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-BF-51	Lab ID: 70152961027	Collected: 10/07/20 08:04	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/17/20 17:47	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-52	Lab ID: 70152961028	Collected: 10/07/20 08:06	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 17:48	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-53	Lab ID: 70152961029	Collected: 10/07/20 07:34	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/17/20 10:09	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-54	Lab ID: 70152961030	Collected: 10/07/20 07:30	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 10:10	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7
Pace Project No.: 70152961

Sample: GDS-02-DW-55	Lab ID: 70152961031	Collected: 10/07/20 07:30	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach							
Lead	<1.0	ug/L	1.0	1		11/17/20 10:11	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-56	Lab ID: 70152961032	Collected: 10/07/20 07:38	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	<1.0	ug/L	1.0	1		11/17/20 17:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-CBF-57	Lab ID: 70152961033	Collected: 10/07/20 07:28	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 10:12	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7
Pace Project No.: 70152961

Sample: GDS-02-BF-58	Lab ID: 70152961034	Collected: 10/07/20 07:34	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	<1.0	ug/L	1.0	1		11/17/20 10:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-DW-59	Lab ID: 70152961035	Collected: 10/07/20 07:34	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	<1.0	ug/L	1.0	1		11/17/20 17:37	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-02-SF-60	Lab ID: 70152961036	Collected: 10/07/20 07:53	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	<1.0	ug/L	1.0	1		11/17/20 17:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-01-SF-61	Lab ID: 70152961037	Collected: 10/07/20 08:23	Received: 11/10/20 09:50	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach						
Lead	<1.0	ug/L	1.0	1		11/17/20 17:49	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

Sample: GDS-01-SF-62	Lab ID: 70152961038	Collected: 10/07/20 08:25	Received: 11/10/20 09:50	Matrix: Drinking Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water	Analytical Method: EPA 200.8 Pace Analytical Services - Ormond Beach								
Lead	<1.0	ug/L	1.0	1		11/17/20 17:49	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WYNANTSKILL UNION FREE 10/7
Pace Project No.: 70152961

QC Batch: 682227	Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8	Analysis Description: 200.8 MET No Prep Drinking Water
	Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 70152961016, 70152961017, 70152961018, 70152961019, 70152961020

METHOD BLANK: 3713402 Matrix: Water
Associated Lab Samples: 70152961016, 70152961017, 70152961018, 70152961019, 70152961020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/18/20 20:58	

LABORATORY CONTROL SAMPLE: 3713403

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	47.8	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3713398 3713399

Parameter	Units	35591890010 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
Lead	ug/L	0.00026 J mg/L	50	50	43.8	50.9	87	101	70-130	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3713400 3713401

Parameter	Units	70152961020 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	RPD	Qual
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
Lead	ug/L	2.0	50	50	49.3	52.3	95	101	70-130	6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WYNANTSKILL UNION FREE 10/7
Pace Project No.: 70152961

QC Batch: 682228 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Ormond Beach
Associated Lab Samples: 70152961001, 70152961002, 70152961003, 70152961004, 70152961005, 70152961006, 70152961007, 70152961008, 70152961009, 70152961010, 70152961011, 70152961012, 70152961013, 70152961014, 70152961015, 70152961029, 70152961030, 70152961031, 70152961033, 70152961034

METHOD BLANK: 3713408 Matrix: Water
Associated Lab Samples: 70152961001, 70152961002, 70152961003, 70152961004, 70152961005, 70152961006, 70152961007, 70152961008, 70152961009, 70152961010, 70152961011, 70152961012, 70152961013, 70152961014, 70152961015, 70152961029, 70152961030, 70152961031, 70152961033, 70152961034

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/17/20 10:16	

LABORATORY CONTROL SAMPLE: 3713409

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	44.9	90	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3713404 3713405

Parameter	Units	70152961001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	1.4	50	50	45.7	47.3	89	92	70-130	3	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3713406 3713407

Parameter	Units	70152961034 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	<1.0	50	50	49.9	42.9	99	85	70-130	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: WYNANTSKILL UNION FREE 10/7
Pace Project No.: 70152961

QC Batch: 682518 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
Laboratory: Pace Analytical Services - Ormond Beach
Associated Lab Samples: 70152961021, 70152961022, 70152961023, 70152961024, 70152961025, 70152961026, 70152961027, 70152961028, 70152961032, 70152961035, 70152961036, 70152961037, 70152961038

METHOD BLANK: 3714839 Matrix: Water
Associated Lab Samples: 70152961021, 70152961022, 70152961023, 70152961024, 70152961025, 70152961026, 70152961027, 70152961028, 70152961032, 70152961035, 70152961036, 70152961037, 70152961038

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/17/20 17:59	

LABORATORY CONTROL SAMPLE: 3714840

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	48.2	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3714835 3714836

Parameter	Units	35590632001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	0.0015 mg/L	50	50	53.0	52.3	103	102	70-130	1	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3714837 3714838

Parameter	Units	70153049055 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Lead	ug/L	3.6	50	50	51.4	52.1	96	97	70-130	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: WYNANTSKILL UNION FREE 10/7

Pace Project No.: 70152961

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: WYNANTSKILL UNION FREE 10/7
Pace Project No.: 70152961

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70152961001	GDS-01-BF-01	EPA 200.8	682228		
70152961002	GDS-01-S-DW-06	EPA 200.8	682228		
70152961003	GDS-01-DW-13	EPA 200.8	682228		
70152961004	GDS-02-BF-18	EPA 200.8	682228		
70152961005	GDS-02-BF-19	EPA 200.8	682228		
70152961006	GDS-02-BF-20	EPA 200.8	682228		
70152961007	GDS-02-BF-21	EPA 200.8	682228		
70152961008	GDS-02-DW-22	EPA 200.8	682228		
70152961009	GDS-02-BF-23	EPA 200.8	682228		
70152961010	GDS-02-BF-24	EPA 200.8	682228		
70152961011	GDS-02-NIM-P-25	EPA 200.8	682228		
70152961012	GDS-02-SF-26	EPA 200.8	682228		
70152961013	GDS-02-CF-30	EPA 200.8	682228		
70152961014	GDS-02-CF-31	EPA 200.8	682228		
70152961015	GDS-02-DW-32	EPA 200.8	682228		
70152961016	GDS-02-BF-33	EPA 200.8	682227		
70152961017	GDS-02-DW-34	EPA 200.8	682227		
70152961018	GDS-02-SF-39	EPA 200.8	682227		
70152961019	GDS-02-LS-40	EPA 200.8	682227		
70152961020	GDS-02-DW-41	EPA 200.8	682227		
70152961021	GDS-02-BF-42	EPA 200.8	682518		
70152961022	GDS-02-SF-43	EPA 200.8	682518		
70152961023	GDS-02-SF-44	EPA 200.8	682518		
70152961024	GDS-02-SF-46	EPA 200.8	682518		
70152961025	GDS-02-SF-47	EPA 200.8	682518		
70152961026	GDS-02-IM-49	EPA 200.8	682518		
70152961027	GDS-02-BF-51	EPA 200.8	682518		
70152961028	GDS-02-SF-52	EPA 200.8	682518		
70152961029	GDS-02-SF-53	EPA 200.8	682228		
70152961030	GDS-02-SF-54	EPA 200.8	682228		
70152961031	GDS-02-DW-55	EPA 200.8	682228		
70152961032	GDS-02-SF-56	EPA 200.8	682518		
70152961033	GDS-02-CBF-57	EPA 200.8	682228		
70152961034	GDS-02-BF-58	EPA 200.8	682228		
70152961035	GDS-02-DW-59	EPA 200.8	682518		
70152961036	GDS-02-SF-60	EPA 200.8	682518		
70152961037	GDS-01-SF-61	EPA 200.8	682518		
70152961038	GDS-01-SF-62	EPA 200.8	682518		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

POTABLE WATER SAMPLING FOR LEAD CONCENTRATION SAMPLE COLLECTION FORM

Appendix D

Page 1 of 3

CLIENT INFORMATION

Name: Wynantskill Union Free School District
 Address: 25 East Avenue, Troy, NY 12180
 Client Rep: Dr. Mary Yodis

Date of Sampling: 10-7-20
 Samples Taken By: PP
 Samples Taken By:
 Samples Taken By:

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Gardner-Dickinson School
 BLDG ADDRESS: 25 East Avenue, Troy, NY 12180
 CONTACT NAME & NUMBER(S): Dr. Mary Yodis (518) 283-4600

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:

WO#: 70152961



SAMPLE DATA

Sample Description ID (ID must match container label)

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make, Model, Etc.	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
1	GDS-01-BF-01	126 Bathroom	Bathroom Faucet			X	6:57a						
2	GDS-01-BF-02	123	Bathroom Faucet	Mixing Valve		X							
3	GDS-01-BF-03	123	Bathroom Faucet	Mixing Valve		X							
4	GDS-01-BF-04	121	Bathroom Faucet	Mixing Valve		X							
5	GDS-01-BF-05	121	Bathroom Faucet	Mixing Valve		X							
6	GDS-01-S-DW-06	132 Corridor	Water Fountain			X	6:59a						
7	GDS-01-CF-07	120	Classrm Sink Faucet	Science		X							
8	GDS-01-CF-08	120	Classrm Sink Faucet	Science		X							
9	GDS-01-CF-09	120	Classrm Sink Faucet	Science		X							
10	GDS-01-CF-10	120	Classrm Sink Faucet	Science		X							
11	GDS-01-BF-11	135	Bathroom Faucet	Mixing Valve		X							
12	GDS-01-BF-12	136	Bathroom Faucet	Mixing Valve		X							
13	GDS-01-DW-13	111 Corridor	Drinking Fountain	Bottle Filler		X	7:03a						
14	GDS-01-BF-14	109	Bathroom Faucet	Mixing Valve		X							
15	GDS-01-BF-15	109	Bathroom Faucet	Mixing Valve		X							
16	GDS-01-BF-16	108	Bathroom Faucet	Mixing Valve		X							
17	GDS-01-BF-17	108	Bathroom Faucet	Mixing Valve		X							
18	GDS-02-BF-18	210c	Bathroom Faucet	Loft		X	7:12a						
19	GDS-02-BF-19	210c	Bathroom Faucet	right		X	7:12a						
20	GDS-02-BF-20	210 Corridor Women's	Bathroom Faucet			X	7:09a						
21	GDS-02-BF-21	210 Corridor Men's	Bathroom Faucet			X	7:09a						
22	GDS-02-DW-22	210 Corridor	Water Cooler			X	7:10a						
23	GDS-02-BF-23	209c	Bathroom Faucet			X	7:16a						
24	GDS-02-BF-P-24	209c	Bathroom Faucet			X	7:16a						
25	GDS-02-NIM-P-25	207	Nurse's Ice Machine			X	7:20a						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3 @ pH

CHAIN OF CUSTODY

Relinquished By: *[Signature]* Received By: *[Signature]* Time: 13:50 Date: 11/10/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb) ONLY

Lab: Pace Lab
 Contact:
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

Legend

BF	Bathroom Faucet
CF	Classroom Faucet
CBF	Corridor Bottle Filler
DW	Drinking Water Fountain
KBS	Kitchen Bathroom Sink
KS	Kitchen Sink
LS	Library Sink
NIM	Nurse's Ice Machine
NS	Nurse's Sink
IM	Ice Machine
	No Need To Sample

CLIENT INFORMATION

Name: Wynantskill Union Free School District
 Address: 25 East Avenue, Troy, NY 12180
 Client Rep: Dr. Mary Yodis

Date of Sampling: 10-7-20
 Samples Taken By: [Signature]
 Samples Taken By:
 Samples Taken By:

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Gardner-Dickinson School
 BLDG ADDRESS: 25 East Avenue, Troy, NY 12180
 CONTACT NAME & NUMBER(S): Dr. Mary Yodis (518) 283-4600

(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:

SAMPLE DATA

Outlet Information

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make, Model, Etc.	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
26	GDS-02-SF-26	207 Nurse	Sink Faucet			X	7:21a						
27	GDS-02-BF-27	207 Nurse's Bathroom	Bathroom Faucet	Mixing Valve		X							
28	GDS-02-BF-28	214 Boy's	K-Bathroom Faucet	Mixing Valve		X							
29	GDS-02-BF-29	216 Girl's	K-Bathroom Faucet	Mixing Valve		X							
30	GDS-02-CF-30	218	Sink Faucet			X	7:24a						
31	GDS-02-CF-31	219	Sink Faucet			X	7:24a						
32	GDS-02-DW-32	219 Corridor	Drinking Fountain			X	7:26a						
33	GDS-02-BF-33	201B Main Office	Bathroom Faucet			X	7:42a						
34	GDS-02-DW-34	228 Corridor	Drinking Fountain			X	7:44a						
35	GDS-02-SF-35	230 Boy's	Sink Faucet	Mixing Valve		X							
36	GDS-02-SF-36	230 Boy's	Sink Faucet	Mixing Valve		X							
37	GDS-02-SF-37	232 Girl's	Sink Faucet	Mixing Valve		X							
38	GDS-02-SF-38	232 Girl's	Sink Faucet	Mixing Valve		X							
39	GDS-02-SF-39	233 Faculty	Sink Faucet			X	7:45a						
40	GDS-02-LS-40	238 Library	Sink Faucet			X	8:02a						
41	GDS-02-DW-41	242 Cafeteria	Drinking Fountain			X	7:47a						
42	GDS-02-SF-42	240 Kitchen	SF-Handwashng	bathroom faucet		X	7:59a						
43	GDS-02-SF-43	240 Kitchen Bathroom	SF-Bathroom	Sink Faucet		X	7:59a						
44	GDS-02-SF-44	240 Kitchen	SF-Corner Sink			X	7:55a						
45	GDS-02-SF-45	240 Kitchen	Sink Sprayer Faucet			X							
46	GDS-02-SF-46	240 Kitchen	SF-Handwashng			X	7:51a						
47	GDS-02-SF-47	240 Kitchen	SF-Opposite Stove			X	7:51a						
49	GDS-02-IM-49	240 Kitchen	Ice Machine			X	7:55a						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH

CHAIN OF CUSTODY

Relinquished By: [Signature] Received By: [Signature] Time: 13:16 Date: 11/9/20
 [Signature] Time: 9:50 Date: 11/10/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb) ONLY

Lab: Pace Labs
 Contact:
 Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

Legend

BF	Bathroom Faucet
CF	Classroom Faucet
CBF	Corridor Bottle Filler
DW	Drinking Water Fountain
KBS	Kitchen Bathroom Sink
KS	Kitchen Sink
LS	Library Sink
NIM	Nurse's Ice Machine
NS	Nurse's Sink
IM	Ice Machine
	No Need To Sample

CLIENT INFORMATION

Name: Wynantskill Union Free School District				
Address: 25 East Avenue, Troy, NY 12180				
Client Rep: Dr. Mary Yodis				
SCHOOL/PROJECT INFORMATION				
BLDG NO./NAME: Gardner-Dickinson School				
BLDG ADDRESS: 25 East Avenue, Troy, NY 12180				
CONTACT NAME & NUMBER(S): Dr. Mary Yodis 518-283-4600				
(1) Yr. Built	(2) Yr 1st Add:	(3) Yr 2nd Add:	(4) Yr 1st Mod:	(5) Yr. 2nd Mod:

Date of Sampling:	11/7/2020
Samples Taken By:	Patrick Paratore
Samples Taken By:	Andy DeGuire
Samples Taken By:	

SAMPLE DATA

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make, Model, Etc.	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
51	GDS-02-BF-51	249	Bathroom Faucet			X	8:04a						
52	GDS-02-SF-52	244 Band	Sink Faucet			X	8:06a						
53	GDS-02-SF-53	270 (new wing)	Sink Faucet			X	7:34a						
54	GDS-02-SF-54	271 (new wing)	Sink Faucet			X	7:30a						
55	GDS-02-DW-55	271 (new wing)	Water Fountain			X	7:30a						
56	GDS-02-SF-56	272 (new wing)	Sink Faucet			X	7:38a						
57	GDS-02-CBF-57	272 Corridor (new wing)	Bottle Filler			X	7:28a						
58	GDS-02-BF-58	270 (new wing)	Bathroom Faucet			X	7:39a						
59	GDS-02-DW-59	270 (new wing)	Water Fountain			X	7:39a						
60	GDS-02-SF-60	271 (new wing)	Water Fountain	sink faucet		X	7:39a						
61	GDS-01-SF-61	135 Faculty Bathroom					8:23a						
62	GDS-01-SF-62	136 Student "					8:25a						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@ pH

CHAIN OF CUSTODY

Relinquished By: <i>Juda Kavonka</i>	Received By: <i>[Signature]</i>	Time: 12:15	Date: 11/7/20
		11:50	11/10/20

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb) ONLY

Lab: Pace Labs	
Contact:	
Comments: Provide Laboratory Data Report (LDR) and Chain of Custody	

Legend	
BF	Bathroom Faucet
CF	Classroom Faucet
CBF	Corridor Bottle Filler
DW	Drinking Water
KBS	Kitchen Bathroom Sink
KS	Kitchen Sink
LS	Library Sink
NIM	Nurse's Ice Machine
NS	Nurse's Sink
IM	Ice Machine
	No Need To Sample
	Room w/ 3 Samples



Sample Condition Upon Receipt

WO#: 70152961

Client Name: QUESTAR

Proje

PM: NML

Due Date: 11/24/20

CLIENT: QUESTAR

Courier: Fed Ex UPS USPS Client Commercial Pace Other

Tracking #: 9099 9901 1102
Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc None Other

Thermometer Used: TH091 Correction Factor: -0.2

Cooler Temperature (°C): 21.3 Cooler Temperature Corrected (°C): 21.1

Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Date and Initials of person examining contents: KW 11/10/20

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? YES NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

			COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
Containers Intact:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix <u>SL WT OIL</u>			
All containers needing preservation have been checked	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot #			Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis			
Samples checked for dechlorination:	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #			
Residual chlorine strips Lot #			
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes	<input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable):			

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: _____

