



April 17, 2025

Rocco Mazzarello  
Questar III BOCES\_ Wynantskill Union Free  
School District  
25 Easy Avenue  
Troy, NY 12180

RE: Project: GARDNER-DICKINSON SCHOOL  
Pace Project No.: 70348020

Dear Rocco Mazzarello:

Enclosed are the analytical results for sample(s) received by the laboratory on April 09, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Alexandria Correa  
alexandria.correa@pacelabs.com  
516-370-6000  
Project Manager

Enclosures

cc: Tracey Catalfamo, Questar III BOCES\_ Wynantskill Union  
Free School District  
Denise Fitzgerald, Questar III BOCES\_ Wynantskill Union  
Free School District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

---

### **Pace Analytical Services, LLC - Melville, NY**

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Sample: GDS-01-DW-P-1	Lab ID: 70348020001	Collected: 04/08/25 05:56	Received: 04/09/25 06:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		04/15/25 14:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Sample: GDS-01-DW-P-2	Lab ID: 70348020002	Collected: 04/08/25 05:58	Received: 04/09/25 06:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		04/15/25 14:28	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-DW-P-3</b>								
<b>Lab ID: 70348020003</b>								
Collected: 04/08/25 06:05								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 15:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Sample: GDS-02-IM-P-4	Lab ID: 70348020004	Collected: 04/08/25 06:10	Received: 04/09/25 06:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/15/25 15:47	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Sample: GDS-02-SF-P-5	Lab ID: 70348020005	Collected: 04/08/25 06:09	Received: 04/09/25 06:00	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		04/15/25 15:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-7</b>								
<b>Lab ID: 70348020006</b>								
Collected: 04/08/25 06:13								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 15:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-BF-P-8</b>								
<b>Lab ID: 70348020007</b>								
Collected: 04/08/25 06:14								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 15:55	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-9</b>								
<b>Lab ID: 70348020008</b>								
Collected: 04/08/25 06:17								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 15:56	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-10</b>								
<b>Lab ID: 70348020009</b>								
Collected: 04/08/25 06:18								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 15:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-DW-P-11</b>								
<b>Lab ID: 70348020010</b>								
Collected: 04/08/25 06:19								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 15:59	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-CF-P-12</b>								
<b>Lab ID: 70348020011</b>								
Collected: 04/08/25 06:21								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 16:01	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-CF-P-13</b>								
<b>Lab ID: 70348020012</b>								
Collected: 04/08/25 06:24								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 16:06	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-DW-P-14</b>								
<b>Lab ID: 70348020013</b>								
Collected: 04/08/25 06:25								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1		04/15/25 16:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-DW-P-15</b>								
<b>Lab ID: 70348020014</b>								
Collected: 04/08/25 06:27								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	3.8	ug/L	1.0	1		04/15/25 16:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-16</b>								
<b>Lab ID: 70348020015</b>								
Collected: 04/08/25 06:28								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	2.6	ug/L	1.0	1		04/15/25 16:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-17</b>								
<b>Lab ID: 70348020016</b>								
Collected: 04/08/25 06:30								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	2.4	ug/L	1.0	1		04/15/25 16:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-DW-P-18</b>								
<b>Lab ID: 70348020017</b>								
Collected: 04/08/25 06:31								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	1.8	ug/L	1.0	1		04/15/25 16:23	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-19</b>								
<b>Lab ID: 70348020018</b>								
Collected: 04/08/25 06:33								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	2.1	ug/L	1.0	1		04/15/25 16:24	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-20</b>								
<b>Lab ID: 70348020019</b>								
Collected: 04/08/25 06:33								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<b>19.0</b>	ug/L	1.0	1		04/15/25 16:26	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-22</b>								
<b>Lab ID: 70348020020</b>								
Collected: 04/08/25 06:36								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	4.4	ug/L	1.0	1		04/15/25 16:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-23</b>								
<b>Lab ID: 70348020021</b>								
Collected: 04/08/25 06:37								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	6.6	ug/L	1.0	1		04/15/25 16:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-24</b>								
<b>Lab ID: 70348020022</b>								
Collected: 04/08/25 06:38								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	7.8	ug/L	1.0	1		04/15/25 16:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-25</b>								
<b>Lab ID: 70348020023</b>								
Collected: 04/08/25 06:40								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	6.2	ug/L	1.0	1		04/15/25 16:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-IM-P-26</b>								
<b>Lab ID: 70348020024</b>								
Collected: 04/08/25 06:40 Received: 04/09/25 06:00 Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8 Preparation Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<1.0	ug/L	1.0	1	04/15/25 07:33	04/15/25 19:27	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-BF-P-27</b>								
<b>Lab ID: 70348020025</b>								
Collected: 04/08/25 06:41								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	11.2	ug/L	1.0	1		04/15/25 16:37	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-SF-P-28</b>								
<b>Lab ID: 70348020026</b>								
Collected: 04/08/25 06:45								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	1.4	ug/L	1.0	1		04/15/25 16:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Sample: GDS-02-HC-P-29		Lab ID: 70348020027		Collected: 04/08/25 06:59		Received: 04/09/25 06:00		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>166</b>	ug/L	1.0	1		04/15/25 16:40	7439-92-1		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: GDS-02-HC-P-30</b>								
<b>Lab ID: 70348020028</b>								
Collected: 04/08/25 07:07								
Received: 04/09/25 06:00								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	51.8	ug/L	1.0	1		04/15/25 16:41	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

QC Batch:	394277	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70348020001, 70348020002

METHOD BLANK: 2075696 Matrix: Water

Associated Lab Samples: 70348020001, 70348020002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/15/25 14:03	

LABORATORY CONTROL SAMPLE: 2075697

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.8	100	85-115	

MATRIX SPIKE SAMPLE: 2075699

Parameter	Units	70348228001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.8	50	53.4	95	70-130	

MATRIX SPIKE SAMPLE: 2075701

Parameter	Units	70348259001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	47.9	96	70-130	

SAMPLE DUPLICATE: 2075698

Parameter	Units	70348228001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	5.8	5.9	1	

SAMPLE DUPLICATE: 2075700

Parameter	Units	70348259001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

QC Batch:	394377	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70348020003, 70348020004, 70348020005, 70348020006, 70348020007, 70348020008, 70348020009, 70348020010, 70348020011		

METHOD BLANK:	2076499	Matrix:	Water
Associated Lab Samples:	70348020003, 70348020004, 70348020005, 70348020006, 70348020007, 70348020008, 70348020009, 70348020010, 70348020011		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/15/25 15:16	

LABORATORY CONTROL SAMPLE:	2076500					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.4	99	85-115	

MATRIX SPIKE SAMPLE:	2076502						
Parameter	Units	70348249001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	16.6	50	64.6	96	70-130	

MATRIX SPIKE SAMPLE:	2076504						
Parameter	Units	70348250001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	6.1	50	54.5	97	70-130	

SAMPLE DUPLICATE:	2076501					
Parameter	Units	70348249001 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	16.6	16.3	2		

SAMPLE DUPLICATE:	2076503					
Parameter	Units	70348250001 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	6.1	6.0	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.





**QUALITY CONTROL DATA**

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

QC Batch:	394379	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70348020012, 70348020013, 70348020014, 70348020015, 70348020016, 70348020017, 70348020018, 70348020019, 70348020020, 70348020021, 70348020022, 70348020023, 70348020025, 70348020026, 70348020027, 70348020028		

METHOD BLANK:	2076512	Matrix:	Water
Associated Lab Samples:	70348020012, 70348020013, 70348020014, 70348020015, 70348020016, 70348020017, 70348020018, 70348020019, 70348020020, 70348020021, 70348020022, 70348020023, 70348020025, 70348020026, 70348020027, 70348020028		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/15/25 16:02	

LABORATORY CONTROL SAMPLE: 2076513

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	49.5	99	85-115	

MATRIX SPIKE SAMPLE: 2076515

Parameter	Units	70348020012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	49.6	98	70-130	

MATRIX SPIKE SAMPLE: 2076517

Parameter	Units	70348020013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	48.3	96	70-130	

SAMPLE DUPLICATE: 2076514

Parameter	Units	70348020012 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 2076516

Parameter	Units	70348020013 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: GARDNER-DICKINSON SCHOOL  
 Pace Project No.: 70348020

QC Batch: 394261 Analysis Method: EPA 200.8  
 QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET Drinking Water  
 Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70348020024

METHOD BLANK: 2075578 Matrix: Water  
 Associated Lab Samples: 70348020024

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	04/15/25 19:21	

LABORATORY CONTROL SAMPLE & LCSD: 2075579 2075580

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Lead	ug/L	50	49.4	50.1	99	100	85-115	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: GARDNER-DICKINSON SCHOOL

Pace Project No.: 70348020

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: GARDNER-DICKINSON SCHOOL  
 Pace Project No.: 70348020

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70348020024	GDS-02-IM-P-26	EPA 200.8	394261	EPA 200.8	394318
70348020001	GDS-01-DW-P-1	EPA 200.8	394277		
70348020002	GDS-01-DW-P-2	EPA 200.8	394277		
70348020003	GDS-02-DW-P-3	EPA 200.8	394377		
70348020004	GDS-02-IM-P-4	EPA 200.8	394377		
70348020005	GDS-02-SF-P-5	EPA 200.8	394377		
70348020006	GDS-02-SF-P-7	EPA 200.8	394377		
70348020007	GDS-02-BF-P-8	EPA 200.8	394377		
70348020008	GDS-02-SF-P-9	EPA 200.8	394377		
70348020009	GDS-02-SF-P-10	EPA 200.8	394377		
70348020010	GDS-02-DW-P-11	EPA 200.8	394377		
70348020011	GDS-02-CF-P-12	EPA 200.8	394377		
70348020012	GDS-02-CF-P-13	EPA 200.8	394379		
70348020013	GDS-02-DW-P-14	EPA 200.8	394379		
70348020014	GDS-02-DW-P-15	EPA 200.8	394379		
70348020015	GDS-02-SF-P-16	EPA 200.8	394379		
70348020016	GDS-02-SF-P-17	EPA 200.8	394379		
70348020017	GDS-02-DW-P-18	EPA 200.8	394379		
70348020018	GDS-02-SF-P-19	EPA 200.8	394379		
70348020019	GDS-02-SF-P-20	EPA 200.8	394379		
70348020020	GDS-02-SF-P-22	EPA 200.8	394379		
70348020021	GDS-02-SF-P-23	EPA 200.8	394379		
70348020022	GDS-02-SF-P-24	EPA 200.8	394379		
70348020023	GDS-02-SF-P-25	EPA 200.8	394379		
70348020025	GDS-02-BF-P-27	EPA 200.8	394379		
70348020026	GDS-02-SF-P-28	EPA 200.8	394379		
70348020027	GDS-02-HC-P-29	EPA 200.8	394379		
70348020028	GDS-02-HC-P-30	EPA 200.8	394379		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.

CLIENT INFORMATION

Name: Wyanntskill Union Free School District  
 Address: 25 East Avenue, Troy, NY 12180  
 Client Rep: Mary Yodis

Date of Sampling: 4/8/2025  
 Samples Taken By: Tim LeVan  
 Samples Taken By: R. Mazzarello

SCHOOL/PROJECT INFORMATION

BLDG NO./NAME: Gardiner-Dickinson School  
 BLDG ADDRESS: 25 East Avenue, Troy, NY 12180  
 CONTACT NAME & NUMBERS: Rocco Mazzarello (518) 505-2101

(1) Yr. Built: (2) Yr 1st Add: (3) Yr 2nd Add: (4) Yr 1st Mod: (5) Yr. 2nd Mod:

WO#: 70348020



SAMPLE DATA

Lab Sample #	BOCES Sample #	Location	Outlet Description	Outlet Make & Model	Construct. Date	First Draw	Time of Collection (24hr)	30 Second Flush Draw	Time of Collection (24hr)	Service Connection Draw	Time of Collection (24hr)	Water Main Draw	Time of Collection (24hr)
1	GDS-01-DW-P-1	132 Corridor	Water Fountain			X	5:56						
2	GDS-01-DW-P-2	111 Corridor	Bottle filler			X	5:58						
3	GDS-02-DW-P-3	210 Corridor	Water Cooler			X	6:05						
4	GDS-02-IM-P-4	207 Nurse	Ice Machine			X	6:10						
5	GDS-02-SF-P-5	207 Nurse	Sink Faucet			X	6:09						
6	<del>GDS-02-SF-P-6</del>	<del>207 Bathroom</del>	<del>Bathroom Faucet</del>			X	Mixing Valve						
7	GDS-02-SF-P-7	270	Sink Faucet			X	6:13						
8	GDS-02-BF-P-8	270 <del>Bathroom</del>	<del>Sink Faucet</del>	546/100		X	6:14						
9	GDS-02-SF-P-9	271	Sink Faucet			X	6:17						
10	GDS-02-SF-P-10	271 <del>Bathroom</del>	<del>Sink Faucet</del>	1346/100		X	6:18						
11	GDS-02-DW-P-11	271 Corridor	Bottle filler			X	6:17						
12	GDS-02-CF-P-12	218	Sink Faucet			X	6:21						
13	GDS-02-CF-P-13	219	Sink Faucet			X	6:24						
14	GDS-02-DW-P-14	219 Corridor	Water Fountain			X	6:25						
15	GDS-02-DW-P-15	228 Corridor	Water Fountain			X	6:27						
16	GDS-02-SF-P-16	233 Exercise Breakroom	Sink Faucet			X	6:28						
17	GDS-02-SF-P-17	238 Library	Sink Faucet			X	6:30						
18	GDS-02-DW-P-18	242 Cafeteria	Water Fountain			X	6:31						
19	GDS-02-SF-P-19	240 Kitchen	Sink Faucet			X	6:33						
20	GDS-02-SF-P-20	240 Kitchen	Sink Faucet			X	6:33						
21	GDS-02-SF-P-21	240 Kitchen	Sink Faucet			X	Not in service						
22	GDS-02-SF-P-22	240 Kitchen	Sink Sprayer Faucet			X	6:36						
23	GDS-02-SF-P-23	240 Kitchen	Sink Faucet			X	6:37						
24	GDS-02-SF-P-24	240 Kitchen	Sink Faucet			X	6:38						
25	GDS-02-SF-P-25	240 Kitchen	Sink Faucet			X	6:40						
26	GDS-02-IM-P-26	240 Kitchen	Ice Machine			X	6:40						
27	GDS-02-BF-P-27	240 Kitchen Bathroom	Bathroom Faucet			X	6:41						

All containers are pre-cleaned/pre-certified 250ml plastic bottles and will be preserved w/HNO3@

CHAIN OF CUSTODY

Relinquished By: *[Signature]* Received By: *[Signature]* Date: 4/8/25  
 Time: 6:00 AM

INSTRUCTIONS TO THE LABORATORY - Analyze all samples for lead (Pb) ONLY

Lab: PACE Analytical

Page 37 of 60

Contact:

Comments: Provide Laboratory Data Report (LDR) and Chain of Custody

15 4.9 6





**WO#: 70348020**  
**PM: ALC Due Date: 04/23/25**  
**CLIENT: WYNANTSKILL**

Client Name: WYNANTSKILL Project # \_\_\_\_\_  
 Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other  
 Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  Yes  No Seals intact:  Yes  No Temperature Blank Present:  Yes  No  
 Packing Material:  Bubble Wrap  Bubble Bags  Ziploc  None  Other Type of Ice: Wet Blue None  
 Thermometer Used: Th21 Correction Factor: 0.2  Samples on ice, cooling process has begun  
 Cooler Temperature(°C): 14.9 Cooler Temperature Corrected(°C): 15.1 Date/Time 5035A kits placed in freezer \_\_\_\_\_  
 Temp should be above freezing to 5.0°C

USDA Regulated Soil (  N/A, water sample)  
 Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  No

Did samples originate from a foreign source including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: MPL 4/10

	COMMENTS:
Chain of Custody Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note: if sediment is visible in the dissolved container.
Sample Labels match COC: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix: <u>SL WT OIL OTHER</u>	

Date and Initials of person checking preservation: MPL 4/10

All containers needing preservation have been <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>231224</u>	Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A NAOH>12 Cyanide)	Initial when completed: Lot # of added preservative: Date/Time preservative added:
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #	Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #	15.
SM 4500 CN samples checked for sulf <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Positive for Sulfide? Y N
Lead Acetate Strips Lot #	
Headspace in ALK Bottle (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Headspace in VOA Vials (>6mm): <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present: <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N  
 Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Comments/ Resolution: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

\* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.